

SLC-Baseboard Diffusion LED Channel

Safety Instruction and Warning

WARNING:

READ CAREFULLY BEFORE INSTALLING.

Installation should only be conducted by a qualified electrician in accordance with NEC and any relevant local building codes.

Risk of fire or electric shock. Fixture installation requires knowledge of luminaires electrical systems. If not qualified, do not attempt installation. Contact a qualified electrician.

Be certain electrical power is OFF before and during installation and maintenance.

Fixtures must be connected to a wiring system with an equipment-grounding conductor.

Make sure the supply voltage is the same as the rated luminaire Fixtures voltage.

Wear gloves and safety glasses at all times when removing luminaire from carton, installing, servicing or performing maintenance.


Description

The Diffusion SLC-Baseboard Channel is an versatile lighting solution. With its 100mm baseboard profile, and 85mm custom ribbon, it offers a subtle and low-level ambient light that can be installed in residential, commercial, and industrial spaces

Installation Instruction

Step 1

Join two pieces of channel using the B-CNT connectors.




SLC-Baseboard

Diffusion LED Channel


Step 2

Insert connectors into the channels and secure with provided screws.



Step 3

Mount the unit to the substrate by drilling holes through the channel and fastening with screws.




SLC-Baseboard

Diffusion LED Channel


Step 4

Apply the LED array onto the unit.



Step 5

Apply the diffuser.




SLC-Baseboard

Diffusion LED Channel


Step 6

Attach the end caps.



Step 7


Finished!





SLC-Baseboard

Diffusion LED Channel

Shop Drawing



Diagram



Required Accessories